

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

<i>Time Period Report for June 2<sup>nd</sup> through June 15<sup>th</sup> 2020</i>						
<i>Acer palmatum</i>	Japanese Maple	Freeze; Frost; Cold damage (Abiotic disorder)	0	0	1	0
<i>Acer palmatum</i>	Japanese Maple	Maple anthracnose ( <i>Aureobasidium apocryptum</i> )	1	0	0	0
<i>Betula pendula</i>	European White birch	Gall mites (Family Eriophyidae)	1	0	0	0
<i>Betula pendula</i>	European White birch	No pathogen found (Identification Analysis)	1	0	0	0
<i>Betula pendula</i>	European White birch	Plant bugs (Family Miridae)	0	0	1	0
<i>Brassica juncea</i>	Mustard Greens	Moisture stress (Abiotic disorder)	0	0	1	0
<i>Brassica juncea</i>	Mustard Greens	No pathogen found (Identification Analysis)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood blight; Leaf and stem blight ( <i>Calonectria pseudonaviculata</i> )	0	3	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood leafminer ( <i>Monarthropalpus flavus (buxi)</i> )	3	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood mite ( <i>Eurytetranychus buxi</i> )	2	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Unspecified pathology ( <i>Fusarium</i> sp./spp.)	3	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella leaf blight; Dieback ( <i>Volutella</i> sp./spp.)	3	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Strawberry black root rot complex (Various Fungi)	1	0	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Twospotted spider mite ( <i>Tetranychus urticae</i> )	1	0	0	0
<i>Lycopersicon esculentum</i>	Tomato	Tomato spotted wilt (TSWV) (Tospovirus Tomato Spotted Wilt Virus)	0	1	0	0
<i>Lycopersicon esculentum</i>	Tomato	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Picea abies</i>	Norway Spruce	Scale insects (Order Homoptera)	1	0	0	0
<i>Picea abies</i>	Norway Spruce	Spruce bud scale ( <i>Physokermes</i> sp./spp.)	1	0	0	0
<i>Picea abies</i>	Norway Spruce	Spruce gall midge ( <i>Mayetiola piceae</i> )	0	0	1	0
<i>Picea abies</i>	Norway Spruce	Spruce spider mite ( <i>Oligonychus ununguis</i> )	1	0	0	0
<i>Picea abies</i>	Norway Spruce	Stigmina needle blight ( <i>Stigmina lautii</i> )	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Sooty mold (Unidentified Fungus)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Spruce bud scale ( <i>Physokermes</i> sp./spp.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Stigmina needle blight ( <i>Stigmina lautii</i> )	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Picea pungens</i>	Blue Spruce	Weir's cushion rust ( <i>Chrysomyxa weirii</i> )	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	Cytospora canker; Dieback ( <i>Cytospora</i> sp./spp.)	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	Root damage (Abiotic disorder)	0	0	1	0
<i>Picea</i> sp./spp.	Spruce	Needle blight (Unidentified Agent)	0	0	2	0
<i>Picea</i> sp./spp.	Spruce	Rhizosphaera needle cast ( <i>Rhizosphaera</i> sp./spp.)	2	0	0	0
<i>Picea</i> sp./spp.	Spruce	Spruce needleminers ( <i>Endothenia</i> ; <i>Epinotia</i> sp./spp.)	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	Spruce spider mite ( <i>Oligonychus ununguis</i> )	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	Stigmata needle blight ( <i>Stigmata lautii</i> )	2	0	0	0
<i>Pinus sylvestris</i>	Scots Pine	Pine wilt nematode (Pinewood) ( <i>Bursaphelenchus xylophilus</i> )	1	0	0	0
<i>Pyrus calleryana</i>	Callery Pear	Fungal hyperparasite ( <i>Ampelomyces quisqualis</i> )	1	0	0	0
<i>Pyrus calleryana</i>	Callery Pear	Powdery mildew ( <i>Oidium</i> sp./spp.)	1	0	0	0
<i>Pyrus calleryana</i>	Callery Pear	Rust ( <i>Gymnosporangium</i> sp./spp.)	1	0	0	0
<i>Scabiosa</i> sp./spp.	Pincushion Flower	Broad mite ( <i>Polyphagotarsonemus latus</i> )	0	0	1	0
<i>Scabiosa</i> sp./spp.	Pincushion Flower	Cucumber mosaic (CMV) (Cucumovirus Cucumber Mosaic Virus)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Scabiosa sp./spp.</i>	Pincushion Flower	Impatiens necrotic spot (INSV) (Tospovirus Impatiens Necrotic Spot Virus)	0	1	0	0
<i>Scabiosa sp./spp.</i>	Pincushion Flower	Tobacco mosaic (TMV) (Tobamovirus Tobacco Mosaic Virus)	0	1	0	0
<i>Scabiosa sp./spp.</i>	Pincushion Flower	Tomato spotted wilt (TSWV) (Tospovirus Tomato Spotted Wilt Virus)	0	1	0	0
<i>Turfgrass mixed species</i>	Turfgrass	Anthrachnose basal rot; Crown rot ( <i>Colletotrichum sp./spp.</i> )	1	0	0	0
<i>Ulmus americana</i>	American Elm	Dutch elm disease ( <i>Ophiostoma sp./spp.</i> )	14	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.