

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

***Time Period Report for September 29<sup>th</sup> through October 13<sup>th</sup>, 2014***

<i>Acer platanoides</i>	Norway Maple	Verticillium Wilt ( <i>Verticillium</i> sp./spp.)	1	0	0	0
<i>Allium cepa</i>	Onion	Grey Mold; Stalk Rot; Neck Rot ( <i>Botrytis allii</i> )	0	1	0	0
<i>Allium cepa</i>	Onion	Yeast Soft Rot ( <i>Kluyveromyces marxianus</i> )	0	0	1	0
<i>Allium sativum</i>	Garlic	Stem and Bulb Nematode ( <i>Ditylenchus dipsaci</i> )	0	3	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Broccoli	Crucifer Bacterial Black Rot ( <i>Xanthomonas campestris</i> )	1	0	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Broccoli	Unspecified Pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Cauliflower	Crucifer Bacterial Black Rot ( <i>Xanthomonas campestris</i> )	1	0	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Cauliflower	Unspecified Pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Brassica oleracea</i> var. <i>capitata</i>	Cabbage	Crucifer Bacterial Black Rot ( <i>Xanthomonas campestris</i> )	1	0	0	0
<i>Brassica oleracea</i> var. <i>capitata</i>	Cabbage	Unspecified Pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Macrophoma Leaf Spot ( <i>Dothiorella (Macrophoma) sempervirens (candollei)</i> )	3	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Volutella Blight; Canker ( <i>Volutella buxi</i> )	3	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Crown and Root Rot ( <i>Phytophthora</i> sp./spp.)	0	2	0	0
<i>Buxus</i> sp./spp.	Boxwood	Root Damage (Abiotic disorder)	0	0	3	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight ( <i>Calonectria (ana. Cyindrocladium) pseudonaviculata (pseudonaviculatum)</i> )	0	1	0	0
<i>Cornus kousa</i>	Japanese Dogwood (kousa)	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Cornus kousa</i>	Japanese Dogwood (kousa)	Leaf Scorch (Abiotic disorder)	0	0	1	0
<i>Cornus kousa</i>	Japanese Dogwood (kousa)	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Cornus</i> sp./spp.	Dogwood	Crown and Root Rot ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Eucomis</i> sp./spp.	Pineapple Lily	Botrytis Blight ( <i>Botrytis</i> sp./spp.)	0	1	0	0
<i>Eucomis</i> sp./spp.	Pineapple Lily	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Ilex x meserveae</i>	Blue Holly	Crown and Root Rot ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Ilex x meserveae</i>	Blue Holly	Black Root Rot ( <i>Thielaviopsis (Chalara) basicola (elegans)</i> )	1	0	0	0
<i>Liriodendron tulipifera</i>	Tulip Tree	Phytophthora Canker ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Malus sylvestris</i>	Common Apple	Wood Rot; White Rot ( <i>Irpex lacteus</i> )	1	0	0	0
<i>Picea abies</i>	Norway Spruce	Drought Stress Damage (Abiotic disorder)	0	0	1	0
<i>Picea abies</i>	Norway Spruce	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Insufficient Light (Abiotic disorder)	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Weir's Cushion Rust ( <i>Chrysomyxa weirii</i> )	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	2	0
<i>Picea pungens</i>	Blue Spruce	Nutritional Deficiency (Abiotic disorder)	0	0	2	0
<i>Picea</i> sp./spp.	Spruce	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	Unknown Abiotic Disorder (Abiotic disorder)	0	0	2	0
<i>Pinus strobus</i>	Eastern White pine	Diplodia Tip Blight; Canker ( <i>Sphaeropsis (Diplodia) sapinea (pineae)</i> )	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Pinus strobus</i>	Eastern White pine	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Quercus alba</i>	White Oak	Jack O'Lantern Mushroom ( <i>Omphalotus olearius</i> )	0	0	1	0
<i>Quercus palustris</i>	Pin Oak	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Quercus palustris</i>	Pin Oak	Scorch (Abiotic disorder)	0	0	1	0
<i>Syringa microphylla</i>	Little Leaf lilac	Pseudomonas Canker ( <i>Pseudomonas</i> sp./spp.)	0	1	0	0
<i>Syringa microphylla</i>	Little Leaf lilac	Root Damage (Abiotic disorder)	0	0	1	0
<i>Syringa microphylla</i>	Little Leaf lilac	Verticillium Wilt ( <i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Thuja</i> sp./spp.	Arborvitae	Fall Needle Drop (Abiotic disorder)	0	0	1	0
<i>Thuja</i> sp./spp.	Arborvitae	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Thuja</i> sp./spp.	Arborvitae	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Viburnum farreri</i>	Fragrant Viburnum	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Viburnum farreri</i>	Fragrant Viburnum	Scorch (Abiotic disorder)	0	0	1	0
<i>Viburnum fragrans</i>	Fragrant Viburnum	Crown Rot; Root Rot; Stem Rot ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Viburnum fragrans</i>	Fragrant Viburnum	High Soil Moisture (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.