

<i>Time Period Report for May 21st through May 28th, 2013</i>			Confidence (to genus)			
Host		Diagnosis This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confirmed	Not Detected	Suspected	Inconclusive
Scientific Name	Common Name					
<i>Abies fraseri</i>	Fraser Fir	Moisture Stress (Abiotic disorder)	0	0	1	0
<i>Abies fraseri</i>	Fraser Fir	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Brassica oleracea</i> var. <i>capitata</i>	Cabbage	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Brassica oleracea</i> var. <i>capitata</i>	Cabbage	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Cornus alternifolia</i>	Pagoda Dogwood	Dieback; Canker; Twig Blight (<i>Botryosphaeria</i> sp./spp.)	1	0	0	0
<i>Cornus alternifolia</i>	Pagoda Dogwood	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Petunia</i> sp./spp.	Petunias	Alfalfa Mosaic (Alfalfa Mosaic Virus (AMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Apple Mosaic (Apple Mosaic Virus (APMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Arabis Mosaic (Arabis Mosaic Virus (ARMV))	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

<i>Petunia</i> sp./spp.	Petunias	Calibrachoa Mottle (Calibrachoa Mottle Virus (CbMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Chrysanthemum Virus B (CVB)	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Cucumber Mosaic (Cucumber Mosaic Virus (CMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Impatiens Necrotic Spot (Impatiens Necrotic Spot Virus (INSV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Oedema; Edema (Abiotic disorder)	1	0	0	0
<i>Petunia</i> sp./spp.	Petunias	Potyvirus Group (Potyvirus Group)	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Pythium Root and/or Crown Rot (<i>Pythium</i> sp./spp.)	1	0	0	0
<i>Petunia</i> sp./spp.	Petunias	Tobacco Etch (Tobacco Etch Virus (TEV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tobacco Mosaic (Tobacco Mosaic Virus (TMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tobacco Ringspot (Tobacco Ringspot Virus (TRSV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tobacco Streak (Tobacco Streak Virus (TSV))	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

<i>Petunia</i> sp./spp.	Petunias	Tomato Aspermy (Tomato Aspermy Virus (TAV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tomato Mosaic (Tomato Mosaic Tobamovirus (ToMV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tomato Ringspot (Tomato Ringspot Virus (ToRSV))	0	1	0	0
<i>Petunia</i> sp./spp.	Petunias	Tomato Spotted Wilt (Tomato Spotted Wilt Virus (TSWV))	0	1	0	0
<i>Phaseolus vulgaris</i>	Snap Bean; green bean	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Phaseolus vulgaris</i>	Snap Bean; green bean	Root Damage (Abiotic disorder)	0	0	1	0
<i>Rosa</i> sp./spp.	Rose	Phomopsis Blight (<i>Phomopsis</i> sp./spp.)	1	0	0	0
<i>Rosa</i> sp./spp.	Rose	Sour Mulch (Abiotic disorder)	0	0	1	0
<i>Solanum tuberosum</i>	Potato	Freeze; Frost; Cold Damage (Abiotic disorder)	0	0	1	0
<i>Solanum tuberosum</i>	Potato	Silver Scurf (<i>Helminthosporium solani</i>)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.