

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for July 15th through July 21st, 2014

<i>Abies balsamea</i>	Balsam Fir	Insect Damage (Unidentified Insect)	1	0	0	0
<i>Acer</i> sp./spp.	Maple	Unspecified Pathology (<i>Phomopsis</i> sp./spp.)	1	0	0	0
<i>Acer</i> sp./spp.	Maple	Wood Decay Fungus (Unidentified Fungus)	1	0	0	0
<i>Allium sativum</i>	Garlic	Corm and Bulb Rot (<i>Penicillium</i> sp./spp.)	1	0	0	0
<i>Allium sativum</i>	Garlic	Stem and Bulb Nematode (<i>Ditylenchus dipsaci</i>)	0	2	0	0
<i>Allium</i> sp./spp.	Allium; Onions; leeks; garlic	White Rot (<i>Stromatinia (Sclerotium) cepivora (cepivorum)</i>)	1	0	0	0
<i>Allium</i> sp./spp.	Allium; Onions; leeks; garlic	Bulb Mite (<i>Rhizoglyphus</i> sp./spp.)	1	0	0	0
<i>Allium</i> sp./spp.	Allium; Onions; leeks; garlic	Canker (<i>Alternaria (Embellisia) embellisia (alli)</i>)	1	0	0	0
<i>Allium</i> sp./spp.	Allium; Onions; leeks; garlic	Fusarium sp.	1	0	0	0
<i>Buxus sempervirens</i>	Common Boxwood	Macrophoma Blight; Dieback (<i>Macrophoma</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Buxus sempervirens</i>	Common Boxwood	Mechanical Damage (Abiotic disorder)	0	0	1	0
<i>Buxus sempervirens</i>	Common Boxwood	Volutella Leaf Blight; Dieback (<i>Volutella</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Macrophoma Blight; Dieback (<i>Macrophoma</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Mechanical Damage (Abiotic disorder)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella Leaf Blight; Dieback (<i>Volutella</i> sp./spp.)	1	0	0	0
<i>Capsicum</i> sp./spp.	Pepper	Bacterial Leaf Spot (<i>Pseudomonas syringae</i>)	1	0	0	0
<i>Capsicum</i> sp./spp.	Pepper	Tomato; Pepper Bacterial Spot (<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i>)	0	0	1	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	0	0	1	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Planting Too Deep (Abiotic disorder)	0	0	1	0
<i>Cucurbita</i> sp./spp.	Pumpkin	Cucurbit Bacterial Wilt (<i>Erwinia tracheiphila</i>)	1	0	0	0
<i>Cucurbita</i> sp./spp	Squash	Bacterial Soft Rot (Unidentified Bacterium)	1	0	0	0
<i>Cucurbita</i> sp./spp	Squash	High Soluble Salt (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Cucurbita</i> sp./spp.	Squash	Plectosporium Blight (<i>Monographella (Plectosporium) sp./spp.</i>)	3	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Bacterial Spot (<i>Xanthomonas cucurbitae (campestris) (pv. cucurbitae)</i>)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Unspecified pathology (<i>Rhizoctonia sp./spp.</i>)	1	0	0	0
<i>Delphinium</i> spp.	Larkspur	Pythium Root Rot and/or Crown Rot (<i>Pythium ultimum</i>)	1	0	0	0
<i>Fragaria</i> sp./spp.	Strawberry	Insufficient Sample (Identification Analysis)	1	0	0	0
<i>Fragaria</i> sp./spp.	Strawberry	pH Induced Pathology (Abiotic disorder)	0	0	1	0
<i>Humulus lupulus</i>	Hops	Nutrient Imbalance (Abiotic disorder)	0	0	3	0
<i>Humulus lupulus</i>	Hops	Oedema; Edema (Abiotic disorder)	3	0	0	0
<i>Humulus lupulus</i>	Hops	Spider Mites (Family Tetranychidae)	2	0	0	0
<i>Lycopersicon sp./spp.</i>	Tomato	Early Blight; Leaf Spot (<i>Alternaria solani</i>)	1	0	0	0
<i>Phaseolus vulgaris</i>	Snap Bean; green bean	Bacterial Brown Spot (<i>Pseudomonas syringae pv. syringae</i>)	1	0	0	0
<i>Picea abies</i>	Norway Spruce	High Soil Moisture (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Picea abies</i>	Norway Spruce	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Root Damage (Abiotic disorder)	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Stigmina Needle Blight (<i>Stigmina lautii</i>)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Unspecified Pathology (<i>Rhizosphaera</i> sp./spp.)	1	0	0	0
<i>Quercus phellos</i>	Willow Oak	Armillaria Root Rot (<i>Armillaria (Armillariella)</i> sp./spp.)	0	1	0	0
<i>Quercus phellos</i>	Willow Oak	Crown and Root Rot (<i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Quercus phellos</i>	Willow Oak	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Quercus</i> sp./spp.	Oak	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Rosa</i> sp./spp.	Rose	Rose Rosette Disease (Rose rosette-associated virus (RRaV))	1	0	0	0
<i>Rosa</i> sp./spp.	Rose	Rose Rosette Disease Mite (<i>Phyllocoptes fructiphilus</i>)	0	1	0	0
<i>Solanum tuberosum</i>	Potato	Brown Spot (<i>Alternaria alternata (tenius)</i>)	1	0	0	0
Turfgrass mixed species	Turfgrass	Bulb and Stem Nematodes Genus (<i>Tylenchus</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

Turfgrass mixed species	Turfgrass	Bulb; Stem Nematodes (<i>Ditylenchus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Lance Nematodes (<i>Hoplolaimus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Lesion Nematodes (<i>Pratylenchus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Pin Nematode (<i>Paratylenchus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Spiral Nematodes (<i>Helicotylenchus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Stunt Nematodes (<i>Tylenchorhynchus</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.