

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Acer</i> sp./spp.	Maple	Root Damage (Abiotic disorder)	0	0	1	0
<i>Acer</i> sp./spp.	Maple	Verticillium Wilt (<i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Allium sativum</i>	Garlic	Stem and Bulb Nematode (<i>Ditylenchus dipsaci</i>)	0	3	0	0
<i>Allium sativum</i>	Garlic	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Brassica oleracea</i> var. botrytis	Broccoli	Nutrient Imbalance (Abiotic disorder)	0	0	1	0
<i>Brassica oleracea</i> var. botrytis	Broccoli	Site Disturbance (Abiotic disorder)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight (<i>Calonectria</i> (ana. <i>Cylindrocladium</i>) <i>pseudonaviculata</i> (<i>pseudonaviculatum</i>))	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	High Soil Moisture (Abiotic disorder)	0	0	2	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella Leaf Blight; Dieback (<i>Volutella</i> sp./spp.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Sudden Needle Drop: Spruce Needle Drop (<i>Setomelanomma holmii</i>)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Unknown Abiotic Disorder (Abiotic disorder)	0	0	2	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Picea pungens</i>	Blue Spruce	Cytospora Canker; Dieback (<i>Cytospora</i> sp./spp.)	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Root Damage (Abiotic disorder)	0	0	1	0
<i>Picea</i> sp./spp.	Spruce	Nutritional Deficiency (Abiotic disorder)	0	0	1	0
<i>Picea</i> sp./spp.	Spruce	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Pinus resinosa</i>	Red Pine	Rust (<i>Coleosporium</i> sp./spp.)	1	0	0	0
<i>Pinus resinosa</i>	Red Pine	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Pinus strobus</i>	Eastern White pine	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Pinus strobus</i>	Eastern White pine	No Pathogen Found (Identification Analysis)	2	0	0	0
<i>Quercus bicolor</i>	Swamp White oak	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Quercus bicolor</i>	Swamp White oak	Spider Mites (Family Tetranychidae)	1	0	0	0
<i>Ulmus</i> sp./spp.	Elm	Dutch Elm Disease (<i>Ophiostoma</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Veronica spicata</i>	Spiked Speedwell	Insect Damage (Unidentified Insect)	1	0	0	0
Woody ornamentals mixed species	Woody Ornamentals	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.