

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for August 6th through August 12th, 2013

<i>Allium sativum</i>	Garlic	Stem and Bulb Nematode (<i>Ditylenchus dipsaci</i>)	0	3	0	0
<i>Buxus</i> sp./spp.	Boxwood	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Root Damage (Abiotic disorder)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight (<i>Calonectria</i> (ana. <i>Cylindrocladium</i>) <i>pseudonaviculatum</i>)	0	9	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Macrophoma Leaf Spot (<i>Dothiorella</i> (<i>Macrophoma</i>) <i>sempervirens</i> (<i>candollei</i>))	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Fusarium Canker (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella Leaf Blight; Dieback (<i>Volutella</i> sp./spp.)	6	0	0	0
<i>Callistephus chinensis</i>	China Aster	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Callistephus chinensis</i>	China Aster	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Citrullus lanatus</i>	Watermelon	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Citrullus lanatus</i>	Watermelon	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Cotoneaster apiculata</i>	Cranberry Cotoneaster	Fusarium Canker: Dieback: Wilt (<i>Gibberella</i> (<i>Fusarium</i>) <i>baccata</i> (<i>lateritium</i>))	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

<i>Cotoneaster apiculata</i>	Cranberry Cotoneaster	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Cucurbita maxima</i>	Giant Pumpkin	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Cucurbita maxima</i>	Giant Pumpkin	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Cucumber Mosaic (Cucumber Mosaic Virus (CMV))	0	1	0	0
<i>Cucurbita</i> sp./spp.	Squash	Herbicide Injury; Exposure (Abiotic disorder)	0	0	1	0
<i>Cucurbita</i> sp./spp.	Squash	Papaya Ringspot (Papaya Ringspot Virus (PRSV) (Watermelon Mosaic Virus 1))	0	1	0	0
<i>Cucurbita</i> sp./spp.	Squash	Squash Mosaic (Squash Mosaic Virus (SQMV))	0	1	0	0
<i>Cucurbita</i> sp./spp.	Squash	Zucchini Yellow Mosaic (Zucchini Yellow Mosaic Virus (ZYMV))	0	1	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Chemical; Environmental Injury (Abiotic disorder)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Early Blight; Leaf Spot (<i>Alternaria solani</i>)	2	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Sour Rot (<i>Geotrichum</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Lycopersicon</i> sp./spp.	Tomato	Chemical Injury (Abiotic disorder)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Gray Leaf Spot (<i>Stemphylium botryosum</i>)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Nutrient Imbalance (Abiotic disorder)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Oedema; Edema (Abiotic disorder)	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Black Mold; Mildew (<i>Alternaria alternata</i>)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Tomato Spotted Wilt (Tomato Spotted Wilt Virus (TSWV))	1	1	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Unknown Abiotic Disorder (Abiotic disorder)	0	0	3	0
<i>Picea pungens</i>	Blue Spruce	Cytospora Canker; Dieback (<i>Cytospora</i> sp./spp.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Stigmina Needle Blight (<i>Stigmina lautii</i>)	1	0	0	0
<i>Pinus strobus</i>	Eastern White pine	Armillaria Root Rot/ Mushroom Rot (<i>Armillaria (Clitocybe) tabescens</i>)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Pinus strobus</i>	Eastern White pine	Crown and Root Rot (<i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Pinus strobus</i>	Eastern White pine	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Pseudotsuga menziesii</i>	Douglas-fir	Swiss Needle Cast (<i>Phaeocryptopus gaeumanni</i>)	1	0	0	0
<i>Sorbus intermedia</i>	Swedish whitebeam	Coniothyrium Leaf Spot (<i>Coniothyrium</i> sp./spp.)	1	0	0	0
<i>Sorbus intermedia</i>	Swedish whitebeam	Unspecified Pathology (<i>Coryneum</i> sp./spp.)	0	0	1	0
Turfgrass mixed species	Turfgrass	Anthraco-nose; Colletotrichum Leaf Spot (<i>Colletotrichum</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Insect Damage (Unidentified Insect)	0	0	1	0
Turfgrass mixed species	Turfgrass	Moisture Stress (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.