

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

**Time Period Report for August 19<sup>th</sup> through August 25<sup>th</sup>, 2014**

Scientific Name	Common Name	Diagnosis	Confirmed	Not Detected	Suspected	Inconclusive
<i>Acer palmatum</i>	Japanese Maple	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Acer palmatum</i>	Japanese Maple	Sooty Mold (Unidentified Fungus)	1	0	0	0
<i>Acer palmatum</i>	Japanese Maple	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Acer palmatum</i>	Japanese Maple	Verticillium Wilt ( <i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Acer saccharum</i>	Sugar Maple	Discula Anthracnose ( <i>Discula</i> sp./spp.)	1	0	0	0
<i>Acer saccharum</i>	Sugar Maple	Insect Damage (Unidentified Insect)	1	0	0	0
<i>Acer saccharum</i>	Sugar Maple	Leaf Scorch (Abiotic disorder)	0	0	1	0
<i>Allium cepa</i>	Onion	Leaf Blight; Leaf Spot ( <i>Botrytis</i> sp./spp.)	1	0	0	0
<i>Allium cepa</i>	Onion	Onion Downy Mildew ( <i>Peronospora destructor</i> )	1	0	0	0
<i>Allium cepa</i>	Onion	Stemphylium Leaf Spot ( <i>Stemphylium</i> sp./spp.)	2	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight ( <i>Calonectria (ana. Cylandrocladium) pseudonaviculatum</i> )	2	3	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Volutella Blight; Canker ( <i>Volutella buxi</i> )	3	0	0	0
<i>Capsicum</i> sp./spp.	Pepper	Phytophthora Root/ Stem/ Crown Rot ( <i>Phytophthora capsici</i> )	1	0	0	0
<i>Euphorbia pulcherrima</i>	Poinsettia	Nutrient Imbalance (Abiotic disorder)	0	0	1	0
<i>Euphorbia pulcherrima</i>	Poinsettia	Oedema; Edema (Abiotic disorder)	1	0	0	0
<i>Euphorbia pulcherrima</i>	Poinsettia	Unidentified Virus (Unidentified Virus)	0	0	1	0
<i>Ilex x meserveae</i>	Blue Holly	Black Root Rot ( <i>Thielaviopsis (Chalara) basicola (elegans)</i> )	0	1	0	0
<i>Ilex x meserveae</i>	Blue Holly	High Soil Moisture (Abiotic disorder)	0	0	2	0
<i>Impatiens</i> sp./spp.	Impatiens	Downy Mildew ( <i>Plasmopara obducens</i> )	2	0	0	0
<i>Juniperus</i> sp./spp.	Juniper	Pestalotiopsis Needle Blight; Tip Blight ( <i>Pestalotiopsis</i> sp./spp.)	2	0	0	0
<i>Juniperus</i> sp./spp.	Juniper	Tip Blight ( <i>Kabatina</i> sp./spp.)	2	0	0	0
<i>Juniperus</i> sp./spp.	Juniper	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Juniperus</i> sp./spp.	Juniper	Unknown Abiotic Disorder (Abiotic disorder)	0	0	1	0
<i>Juniperus</i> sp./spp.	Juniper	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Juniperus</i> sp./spp.	Juniper	Crown and Root Rot ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Leucanthemum x superbum</i>	Shasta Daisy	Pythium Root and/or Crown Rot ( <i>Pythium</i> sp./spp.)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Late Blight ( <i>Phytophthora infestans</i> )	2	0	0	0
<i>Pinus nigra</i>	Austrian Pine	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Pinus nigra</i>	Austrian Pine	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Pinus nigra</i>	Austrian Pine	Root Damage (Abiotic disorder)	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Quercus rubra</i>	Northern Red oak	Zonate Leaf Spot ( <i>Monochaetia</i> sp./spp.)	1	0	0	0
<i>Rhododendron</i> sp./spp.	Rhododendron	Botrytis Blight ( <i>Botrytis</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Rhododendron</i> sp./spp.	Rhododendron	Unknown Abiotic Disorder (Abiotic disorder)	0	0	2	0
<i>Rhododendron</i> sp./spp.	Rhododendron	Unspecified Pathology ( <i>Phytophthora</i> sp./spp.)	1	0	0	0
<i>Rhus aromatica</i>	Fragrant Sumac	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Rhus aromatica</i>	Fragrant Sumac	Eriophyid Mites (Family Eriophyidae)	0	0	1	0
<i>Solanum tuberosum</i>	Potato (soil)	Bulb and Stem Nematodes Genus ( <i>Tylenchus</i> sp./spp.)	1	0	0	0
<i>Solanum tuberosum</i>	Potato (soil)	Lesion Nematodes ( <i>Pratylenchus</i> sp./spp.)	1	0	0	0
<i>Solanum tuberosum</i>	Potato (soil)	Nematode ( <i>Bursaphelenchus</i> sp./spp.)	2	0	0	0
<i>Solanum tuberosum</i>	Potato (soil)	Plant Parasitic Nematodes (Unspecified Genera)	0	3	0	0
<i>Solanum tuberosum</i>	Potato (soil)	Stunt Nematodes ( <i>Tylenchorhynchus</i> sp./spp.)	1	0	0	0
<i>Syringa reticulata</i>	Japanese Tree lilac	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Syringa reticulata</i>	Japanese Tree lilac	Nutrient Imbalance (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Anthracnose; Colletotrichum Leaf Spot ( <i>Colletotrichum</i> sp./spp.)	2	1	0	0
Turfgrass mixed species	Turfgrass	Ascochyta Leaf Spot ( <i>Ascochyta</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Curvularia Blight; Leaf Spot ( <i>Curvularia</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Leafspot Crown and Root Rot; ( <i>Bipolaris sorokiniana</i> )	1	0	0	0
Turfgrass mixed species	Turfgrass	Leptosphaerulina Leaf Blight ( <i>Leptosphaerulina australis</i> )	1	0	0	0
Turfgrass mixed species	Turfgrass	Rhizoctonia Root; Crown Rot ( <i>Rhizoctonia</i> sp./spp.)	0	0	2	0
Turfgrass mixed species	Turfgrass	High Soil Moisture (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Pythium Root and/or Crown Rot ( <i>Pythium</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.