

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for September 9th through September 15th, 2014

<i>Acer</i> sp./spp.	Maple	Bacterial Leaf Scorch (BLS) (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight (<i>Calonectria</i> (ana. <i>Cylindrocladium</i>) <i>pseudonaviculata</i> (<i>pseudonaviculatum</i>))	1		0	0
<i>Buxus</i> sp./spp.	Boxwood	Root Damage (Abiotic disorder)	0	0	2	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella Leaf Blight; Dieback (<i>Volutella</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Chrysanthemum	Crown and Root Rot (<i>Phytophthora</i> sp./spp.)	1	0	0	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Pythium Root and/or Crown Rot (<i>Pythium</i> sp./spp.)	0	0	1	0
<i>Ginkgo biloba</i>	Ginkgo	Bacterial Leaf Scorch (BLS) (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Ginkgo biloba</i>	Ginkgo	Leaf Scorch (Abiotic disorder)	0	0	1	0
<i>Ginkgo biloba</i>	Ginkgo	Unspecified Pathology (<i>Colletotrichum</i> sp./spp.)	1	0	0	0
<i>Glycine max</i>	Soybean	Cucumber Mosaic (Cucumber Mosaic Virus (CMV))	0	2	0	0
<i>Glycine max</i>	Soybean	Herbicide Injury; Exposure (Abiotic disorder)	0	0	2	0
<i>Helianthus</i> sp./spp.	Sunflower	Sunflower Leaf Spot (<i>Septoria helianthi</i>)	1	0	0	0
<i>Humulus lupulus</i>	Hops	Spider Mites (Family Tetranychidae)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Humulus lupulus</i>	Hops	Unspecified Pathology (<i>Botrytis</i> sp./spp.)	1	0	0	0
<i>Lycopersicon esculentum</i>	Tomato	Late Blight (<i>Phytophthora infestans</i>)	1	0	0	0
<i>Magnolia</i> sp./spp.	Magnolia	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Magnolia</i> sp./spp.	Magnolia	Wound Canker (Abiotic disorder)	0	0	1	0
<i>Petroselinium crispum</i>	Parsley	Alternaria Leaf Spot (<i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Petroselinium crispum</i>	Parsley	Septoria Leaf Spot (<i>Septoria petroselini</i>)	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Dieback; Canker (<i>Diplodia</i> sp./spp.)	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Unknown Abiotic Disorder (Abiotic disorder)	0	0	2	0
<i>Poa/Agrostis</i> sp./spp.	Mix Ann. bluegrass; bentgrass	Thatch Collapse Disease (<i>Sphaerobolus stellatus</i>)	0	0	1	0
<i>Quercus bicolor</i>	Swamp White oak	Bacterial Leaf Scorch (BLS) (<i>Xylella fastidiosa</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Quercus bicolor</i>	Swamp White oak	Oak Wilt (<i>Ceratocystis (Chalara) fagacearum (quercina)</i>)	0	1	0	0
<i>Quercus phellos</i>	Willow Oak	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Quercus phellos</i>	Willow Oak	Wood Rot Fungus (<i>Inonotus sp./spp.</i>)	0	0	1	0
<i>Quercus sp./spp.</i> white	White Oaks	Anthracnose (<i>Apiognomonina (Discula) errabunda (quercina) (umbrinella)</i>)	1	0	0	0
<i>Stewartia sp./spp.</i>	Stewartia	Bacterial Leaf Scorch (BLS) (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Stewartia sp./spp.</i>	Stewartia	Transplant Shock; Stress (Abiotic disorder)	0	0	1	0
<i>Vaccinium corymbosum</i>	Highbush Blueberry	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Vaccinium corymbosum</i>	Highbush Blueberry	Root Damage (Abiotic disorder)	0	0	1	0
<i>Vaccinium sp./spp.</i>	Blueberry	Leaf Rust (<i>Naohidemycetes (Pucciniastrum) vacciniarum (vaccinii)</i>)	1	0	0	0
<i>Vitis sp./spp.</i>	Grape	Foliar Nematodes (<i>Aphelenchoides sp./spp.</i>)	1	0	0	0
<i>Vitis sp./spp.</i>	Grape	Plant Parasitic Nematodes (Unspecified Genera)	0	1	0	0
<i>Vitis sp./spp.</i>	Grape	Site Disturbance (Abiotic disorder)	0	0	2	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Vitis</i> sp./spp.	Grape	Soil Compaction (Abiotic disorder)	0	0	2	0
<i>Zea mays</i>	Corn (forage-fodder-silage)	Ascochyta Leaf Spot (<i>Ascochyta</i> sp./spp.)	1	0	0	0
<i>Zea mays</i>	Corn (forage-fodder-silage)	Corn Gray Leaf Spot (<i>Cercospora zea-maydis</i>)	0	1	0	0
<i>Zea mays</i>	Corn (forage-fodder-silage)	Northern Corn Leaf Blight; Leaf Spot (<i>Setosphaeria (Exserohilum) turcica (turcicum)</i>)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.