

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

**Time Period Report for September 24<sup>th</sup> through September 30<sup>th</sup>, 2013**

<i>Allium</i> sp./spp.	Allium; Onions; leeks; garlic	Stem and Bulb Nematode ( <i>Ditylenchus dipsaci</i> )	0	3	0	0
<i>Euphorbia pulcherrima</i>	Poinsettia	Fusarium Stem Rot ( <i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Euphorbia pulcherrima</i>	Poinsettia	Wound Canker (Abiotic disorder)	0	0	1	0
<i>Fragaria</i> sp./spp.	Strawberry	Anthracnose Basal Rot; Crown Rot ( <i>Colletotrichum</i> sp./spp.)	0	0	1	0
<i>Fragaria</i> sp./spp.	Strawberry	Powdery Mildew ( <i>Oidium</i> sp./spp.)	2	0	0	0
<i>Fraxinus pennsylvanica lanceolata</i>	Green Ash	Verticillium Wilt ( <i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Unspecified Pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Lycopersicon</i> sp./spp.	Tomato	Powdery Mildew (Unidentified Fungus)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive

This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples

<i>Lycopersicon</i> sp./spp.	Tomato	Spider Mites (Family Tetranychidae)	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	No Pathogen Found (Identification Analysis)	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Verticillium Wilt ( <i>Verticillium</i> sp./spp.)	0	2	0	0
<i>Malus domestica</i>	Domestic Apple	Crown Gall ( <i>Agrobacterium</i> sp./spp.)	0	0	2	0
<i>Malus domestica</i>	Domestic Apple	Phytophthora Crown: Root and/or Stem Rot ( <i>Phytophthora</i> sp./spp.)	0	2	0	0
<i>Picea pungens</i>	Blue Spruce	High Soil Moisture (Abiotic disorder)	0	0	2	0
<i>Picea pungens</i>	Blue Spruce	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	2	0	0	0
<i>Picea pungens</i>	Blue Spruce	Nutrient Imbalance (Abiotic disorder)	0	0	2	0
<i>Pinus</i> sp./spp.	Pine	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Pine Wilt Nematode (Pinewood) ( <i>Bursaphelenchus xylophilus</i> )	0	1	0	0
<i>Pinus</i> sp./spp.	Pine	Root Damage (Abiotic disorder)	0	0	1	0
<i>Pinus strobus</i>	Eastern White pine	High Soil Moisture (Abiotic disorder)	0	0	2	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Pinus strobus</i>	Eastern White pine	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Pinus strobus</i>	Eastern White pine	Root Damage (Abiotic disorder)	0	0	1	0
<i>Pinus sylvestris</i>	Scotch Pine	Brown Spot ; Needle Blight ( <i>Mycosphaerella dearnessii</i> )	1	0	0	0
<i>Pinus sylvestris</i>	Scotch Pine	Diplodia Tip Blight; Canker ( <i>Sphaeropsis (Diplodia) sapinea (pineae)</i> )	1	0	0	0
<i>Pinus sylvestris</i>	Scotch Pine	Wood Boring Insect Damage (Unidentified Wood Boring Insect)	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Genetic Disorders (Abiotic disorder)	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Pinus taeda</i>	Loblolly Pine	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Pinus taeda</i>	Loblolly Pine	Scale Insects (Order homoptera)	1	0	0	0
<i>Quercus palustris</i>	Pin Oak	Bacterial Leaf Scorch (BLS) ( <i>Xylella fastidiosa</i> (BLS))	1	0	0	0
<i>Quercus</i> sp./spp. red	Red Oaks	Bacterial Leaf Scorch (BLS) ( <i>Xylella fastidiosa</i> (BLS))	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Quercus velutina</i>	Black Oak	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Quercus velutina</i>	Black Oak	Phytophthora Canker ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Tagetes</i> sp./spp.	Marigold	Alternaria Leaf Blight ( <i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Tagetes</i> sp./spp.	Marigold	Fusarium Stem Rot ( <i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Thuja</i> sp./spp.	Arborvitae	High Soil Moisture (Abiotic disorder)	0	0	1	0
<i>Thuja</i> sp./spp.	Arborvitae	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Thuja</i> sp./spp.	Arborvitae	Root Damage (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Anthracoze; Colletotrichum Leaf Spot ( <i>Colletotrichum</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	High Soil Moisture (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Red Thread ( <i>Laetisaria fuciformis</i> )	0	1	0	0

**Confirmed** - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

**Not Detected** -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

**Suspected** - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

**Inconclusive** - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.