

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

**Time Period Report for September 28<sup>th</sup> through October 5<sup>th</sup>, 2015**

<i>Acer palmatum</i>	Japanese Maple	High Soil Moisture (Abiotic disorder)	1	0	0	0
<i>Acer palmatum</i>	Japanese Maple	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	0	1	0	0
<i>Allium sativum</i>	Garlic	Stem and Bulb Nematode ( <i>Ditylenchus dipsaci</i> )	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Volutella Blight; Canker ( <i>Volutella buxi</i> )	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Freeze; Frost; Cold Damage (Abiotic disorder)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Macrophoma Blight; Dieback ( <i>Macrophoma</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Root Damage (Abiotic disorder)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Blight; Leaf and Stem Blight ( <i>Calonectria pseudonaviculata</i> )	5	2	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood Leafminer ( <i>Monarthropalpus flavus (buxi)</i> )	2	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Nutrient Imbalance (Abiotic disorder)	0	0	1	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Chrysanthemum White Rust ( <i>Puccinia horiana</i> )	1	0	0	0
<i>Cucurbita</i> sp./spp.	Pumpkin	Aphids (Plant Lice) (Family Aphididae)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Pumpkin	Crown Rot; Root Rot; Stem Rot ( <i>Phytophthora</i> sp./spp.)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Pumpkin	Insect Damage (Unidentified Insect)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

# Cornell University Plant Disease Diagnostic Clinic

# Diagnostic Review Report

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Cucurbita</i> sp./spp.	Pumpkin	Moisture Stress (Abiotic disorder)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Pumpkin	Sooty Mold (Unidentified Fungus)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Aphids (Plant Lice) (Family Aphididae)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Cucurbit Downy Mildew ( <i>Pseudoperonospora cubensis</i> )	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Insect Damage (Unidentified Insect)	0	0	1	0
<i>Cucurbita</i> sp./spp.	Squash	Moisture Stress (Abiotic disorder)	0	0	1	0
<i>Cucurbita</i> sp./spp.	Squash	Powdery Mildew ( <i>Oidium</i> sp./spp.)	1	0	0	0
<i>Cucurbita</i> sp./spp.	Squash	Sooty Mold (Unidentified Fungus)	1	0	0	0
<i>Dahlia</i> sp./spp.	Dahlia	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Dahlia</i> sp./spp.	Dahlia	Spider Mites (Family Tetranychidae)	1	0	0	0
<i>Fagus sylvatica atropunicea</i>	Copper Beech	Insect Damage (Unidentified Insect)	1	0	0	0
<i>Fagus sylvatica atropunicea</i>	Copper Beech	Root Rot (Unidentified Agent)	0	0	1	0
<i>Fagus sylvatica atropunicea</i>	Copper Beech	Stem Canker ( <i>Phytophthora</i> sp./spp.)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

# Cornell University Plant Disease Diagnostic Clinic

# Diagnostic Review Report

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Fagus sylvatica atropunicea</i>	Copper Beech	Trunk Girdling (Abiotic disorder)	0	0	1	0
<i>Gleditsia triacanthos</i>	Common Honeylocust	Cercospora Leaf Spot ( <i>Cercospora</i> sp./spp.)	0	0	1	0
<i>Humulus lupulus</i>	Hops	Hop Downy Mildew ( <i>Pseudoperonospora humuli</i> )	1	0	0	0
<i>Lycopersicon</i> sp./spp.	Tomato	Early Blight; Leaf Spot ( <i>Alternaria solani</i> )	1	0	0	0
<i>Malus domestica</i>	Domestic Apple	High Soil Moisture (Abiotic disorder)	0	1	0	0
<i>Malus domestica</i>	Domestic Apple	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Ocimum basilicum</i>	Sweet Basil	No Pathogen Found (Identification Analysis)	0	1	0	0
<i>Ocimum basilicum</i>	Sweet Basil	Unknown Abiotic Disorder (Abiotic disorder)	1	0	0	0
<i>Platanus occidentalis</i>	American Sycamore	Powdery Mildew ( <i>Oidium</i> sp./spp.)	2	0	0	0
<i>Platanus occidentalis</i>	American Sycamore	Sycamore Anthracnose ( <i>Apiognomonina veneta</i> )	0	0	1	0
<i>Quercus virginiana</i>	Live Oak	Kermes Scale ( <i>Kermes</i> sp./spp.)	1	0	0	0
<i>Quercus virginiana</i>	Live Oak	Not Pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
Turfgrass mixed species	Turfgrass	Fairy Ring (Various Fungi)	1	0	0	0
Turfgrass mixed species	Turfgrass	Leptosphaerulina Leaf Spot ( <i>Leptosphaerulina</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Yellow Patch ( <i>Ceratobasidium cereale</i> )	2	0	0	0
<i>Ulmus</i> sp./spp.	Elm	Additional Sample Requested (Identification Analysis)	1	0	0	0
<i>Ulmus</i> sp./spp.	Elm	Dutch Elm Disease ( <i>Ophiostoma</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.