

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for September 6th through September 12th, 2016

<i>Abies</i> sp./spp.	Fir	Balsam woolly adelgid (<i>Adelges piceae</i>)	0	0	1	0
<i>Acer saccharum</i>	Sugar Maple	Root damage (Abiotic disorder)	0	0	1	0
<i>Acer saccharum</i>	Sugar Maple	Verticillium wilt (<i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Allium sativum</i>	Garlic	Bacterial soft rot (Unidentified Bacterium)	0	0	1	0
<i>Allium sativum</i>	Garlic	Bulb mite (<i>Rhizoglyphus</i> sp./spp.)	1	0	0	0
<i>Allium sativum</i>	Garlic	Onion maggot (<i>Delia antiqua</i>)	0	0	1	0
<i>Allium sativum</i>	Garlic	Yeast soft rot (<i>Kluyveromyces marxianus</i>)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Armillaria root rot (<i>Armillaria</i> sp./spp.)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Black root rot (<i>Thielaviopsis basicola</i>)	0	1	0	0
<i>Buxus</i> sp./spp.	Boxwood	Unknown abiotic disorder (Abiotic disorder)	0	0	2	0
<i>Chamaecyparis</i> sp./spp.	Falsecypress	Nutrient imbalance (Abiotic disorder)	0	0	1	0
<i>Chamaecyparis</i> sp./spp.	Falsecypress	Pestalotiopsis needle blight; Tip blight (<i>Pestalotiopsis</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Chamaecyparis</i> sp./spp.	Falsecypress	Spider mites (Family Tetranychidae)	0	0	1	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Fusarium wilt (<i>Fusarium oxysporum</i> f.sp. <i>chrysanthemi</i>)	1	0	0	0
<i>Cornus racemosa</i>	Gray Dogwood	Dieback; Canker; Twig blight (<i>Botryosphaeria</i> sp./spp.)	1	0	0	0
<i>Cornus racemosa</i>	Gray Dogwood	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Cupressus sempervirens</i>	Italian Cypress	Pestalotiopsis needle blight; Tip blight (<i>Pestalotiopsis</i> sp./spp.)	1	0	0	0
<i>Cupressus sempervirens</i>	Italian Cypress	Scale insects (Order homoptera)	1	0	0	0
<i>Cupressus sempervirens</i>	Italian Cypress	Spider mites (Family Tetranychidae)	1	0	0	0
<i>Festuca arundinacea</i>	Tall Fescue	Brown patch (<i>Rhizoctonia</i> sp./spp.)	4	0	0	0
<i>Festuca arundinacea</i>	Tall Fescue	Dense thatch layer (Abiotic disorder)	2	0	0	0
<i>Festuca arundinacea</i>	Tall Fescue	Leptosphaerulina leaf spot; Blight (<i>Leptosphaerulina trifolii</i>)	4	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Festuca arundinacea</i>	Tall Fescue	Poor root development (Abiotic disorder)	4	0	0	0
<i>Festuca arundinacea</i>	Tall Fescue	Red thread (<i>Laetisaria fuciformis</i>)	0	0	1	0
<i>Festuca arundinacea</i>	Tall Fescue	Soil compaction (Abiotic disorder)	0	0	4	0
<i>Malus domestica</i>	Domestic Apple	No pathogen found (Identification Analysis)	1	0	0	0
<i>Malus domestica</i>	Domestic Apple	Scale insects (Order homoptera)	1	0	0	0
<i>Malus domestica</i>	Domestic Apple	Sooty mold (Unidentified Fungus)	0	0	1	0
<i>Quercus phellos</i>	Willow Oak	Armillaria root rot (<i>Armillaria</i> sp./spp.)	0	1	0	0
<i>Quercus phellos</i>	Willow Oak	Crown and root rot (<i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Rubus</i> sp./spp.	Raspberry	Leaf spot (<i>Sphaerulina rubi</i>)	1	0	0	0
<i>Rubus</i> sp./spp.	Raspberry	Spot anthracnose (<i>Elsinoe veneta</i>)	0	1	0	0
<i>Rubus</i> sp./spp.	Raspberry	Spur; Cane blight (<i>Didymella</i> (ana. <i>Phoma</i>) <i>applanata</i> (<i>argillacea</i>))	0	1	0	0
<i>Rubus</i> sp./spp.	Raspberry	Unidentified virus (Unidentified Virus)	0	0	1	0
<i>Thuja</i> sp./spp.	Arborvitae	Dieback; Canker; Twig blight (<i>Botryosphaeria</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Cornell University Plant Disease Diagnostic Clinic

Diagnostic Review Report

Host		Diagnosis This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Thuja</i> sp./spp.	Arborvitae	Root damage (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Brown patch (<i>Rhizoctonia</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Lance nematodes (<i>Hoplolaimus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Lesion nematodes (<i>Pratylenchus</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Take-all (<i>Gaeumannomyces</i> sp./spp.)	0	0	1	0
Turfgrass mixed species	Turfgrass	Anthracnose (<i>Colletotrichum cereale</i>)	1	0	0	0
Turfgrass mixed species	Turfgrass	Nutrient imbalance (Abiotic disorder)	0	0	1	0
<i>Vaccinium</i> sp./spp.	Blueberry	Dagger nematodes (<i>Xiphinema</i> sp./spp.)	0	3	0	0
<i>Vaccinium</i> sp./spp.	Blueberry	Lesion nematodes (<i>Pratylenchus</i> sp./spp.)	2	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.