

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for September 13th through September 18th, 2016

<i>Aesculus parviflora</i>	Bottlebrush Buckeye	Moisture stress (Abiotic disorder)	0	0	1	0
<i>Allium sativum</i>	Garlic	Canker (<i>Alternaria (Embellisia) embellisia (alli)</i>)	1	0	0	0
<i>Allium sativum</i>	Garlic	Corm and bulb rot (<i>Penicillium</i> sp./spp.)	1	0	0	0
<i>Allium sativum</i>	Garlic	Fusarium dry rot; Bulb rot (<i>Fusarium</i> sp./spp.)	4	0	0	0
<i>Allium sativum</i>	Garlic	Stem and bulb nematode (<i>Ditylenchus dipsaci</i>)	0	4	0	0
<i>Cornus</i> sp./spp.	Dogwood	Dogwood anthracnose (<i>Discula destructiva</i>)	0	1	0	0
<i>Cornus</i> sp./spp.	Dogwood	Planting too deep (Abiotic disorder)	0	0	1	0
<i>Cornus</i> sp./spp.	Dogwood	Unspecified pathology (<i>Phomopsis</i> sp./spp.)	1	0	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Plant parasitic nematodes (Unspecified Genera)	0	1	0	0
<i>Glycine max</i>	Soybean	Charcoal rot (<i>Macrophomina phaseolina</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Unspecified pathology (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean stem canker (<i>Diaporthe phaseolorum</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Moisture stress (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Cornell University Plant Disease Diagnostic Clinic

Diagnostic Review Report

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Ilex</i> sp./spp.	Holly	Anthracnose; Twig dieback (<i>Colletotrichum</i> sp./spp.)	1	0	0	0
<i>Medicago sativa</i>	Alfalfa	Alfalfa rust (<i>Uromyces striatus</i>)	1	0	0	0
<i>Medicago sativa</i>	Alfalfa	Spider mites (Family Tetranychidae)	1	0	0	0
Moss	Mosses/ Bryophytes	Cultural/environmental problem (Abiotic disorder)	0	0	1	0
<i>Persicaria virginiana</i>	Jumpseed/ Virginia Knotweed	Insect damage (Unidentified Insect)	0	0	1	0
<i>Persicaria virginiana</i>	Jumpseed/ Virginia Knotweed	No pathogen found (Identification Analysis)	1	0	0	0
<i>Phlox stolonifera</i>	Creeping Phlox	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	0	0	1	0
<i>Phlox stolonifera</i>	Creeping Phlox	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Quercus alba</i>	White Oak	Wood rot fungus (<i>Trametes pubescens</i>)	1	0	0	0
<i>Ribes</i> sp./spp.	Currant	Currant borer (<i>Synanthedon tipuliformis</i>)	0	0	1	0
<i>Ribes</i> sp./spp.	Currant	Ribes anthracnose (<i>Drepanopeziza (Pseudopeziza) ribis</i>)	0	0	1	0
<i>Ribes</i> sp./spp.	Currant	Unspecified pathology (<i>Colletotrichum</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Ribes</i> sp./spp.	Gooseberry	Ribes anthracnose (<i>Drepanopeziza</i> (<i>Pseudopeziza</i>) <i>ribis</i>)	1	0	0	0
<i>Ribes</i> sp./spp.	Gooseberry	Unspecified pathology (<i>Colletotrichum</i> sp./spp.)	1	0	0	0
<i>Rubus</i> sp./spp.	Raspberry	Leaf spot (<i>Sphaerulina rubi</i>)	1	0	0	0
<i>Thuja</i> sp./spp.	Arborvitae	Pestalotiopsis needle blight; Tip blight (<i>Pestalotiopsis</i> sp./spp.)	1	0	0	0
<i>Thuja</i> sp./spp.	Arborvitae	Root damage (Abiotic disorder)	0	0	1	0
<i>Tsuga</i> sp./spp.	Hemlock	Root damage (Abiotic disorder)	0	0	1	0
<i>Tsuga</i> sp./spp.	Hemlock	Unspecified pathology (<i>Phomopsis</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Magnaporthe summer patch (<i>Magnaporthiopsis poae</i>)	1	0	0	0
<i>Zea mays</i>	Field Corn	Northern corn leaf spot (<i>Bipolaris zeicola</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.