

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

**Time Period Report for August 30<sup>th</sup> through September 5<sup>th</sup>, 2016**

<i>Abies nordmanniana</i>	Nordmann Fir	Chemical; Environmental injury (Abiotic disorder)	0	0	1	0
<i>Abies nordmanniana</i>	Nordmann Fir	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Acer palmatum</i>	Japanese Maple	Freeze; Frost; Cold damage (Abiotic disorder)	0	0	1	0
<i>Acer palmatum</i>	Japanese Maple	No pathogen found (Identification Analysis)	1	0	0	0
<i>Asparagus officinalis</i>	Asparagus	Insect damage (Unidentified Insect)	0	0	1	0
<i>Asparagus officinalis</i>	Asparagus	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Chionanthus retusus</i>	Chinese Fringetree	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Chionanthus retusus</i>	Chinese Fringetree	Unspecified pathology ( <i>Colletotrichum</i> sp./spp.)	1	0	0	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	Fusarium stem; Root rot ( <i>Fusarium</i> sp./spp.)	0	1	0	0
<i>Chrysanthemum</i> sp./spp. hybrids	Chrysanthemum	High soluble salt (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Cotoneaster</i> sp./spp.	Cotoneaster	Referred to specialist (Identification Analysis)	1	0	0	0
<i>Cotoneaster</i> sp./spp.	Cotoneaster	Wood boring insect damage (Unidentified Wood Boring Insect)	1	0	0	0
<i>Delphinium</i> spp	Larkspur	Bacterial stem rot ( <i>Erwinia carotovora carotovora</i> )	0	0	1	0
<i>Delphinium</i> spp	Larkspur	Insect damage (Unidentified Insect)	0	0	0	1
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Crown and root rot ( <i>Phytophthora</i> sp./spp.)	0	2	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Strawberry black root rot complex (Various Fungi)	2	0	0	0
<i>Glycine max</i>	Soybean	Charcoal rot ( <i>Macrophomina</i> sp./spp.)	4	1	0	0
<i>Glycine max</i>	Soybean	Fusarium stem rot ( <i>Fusarium</i> sp./spp.)	4	0	0	0
<i>Glycine max</i>	Soybean	Soybean cyst nematode (SCN) ( <i>Heterodera glycines</i> )	0	1	0	0
<i>Glycine max</i>	Soybean	Soybean stem canker ( <i>Diaporthe phaseolorum</i> )	0	0	1	0
<i>Lycopersicon esculentum</i>	Tomato	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Lycopersicon esculentum</i>	Tomato	Nutrient imbalance (Abiotic disorder)	0	0	1	0
<i>Picea abies</i>	Norway Spruce	Spruce needle cast ( <i>Lirula macrospora</i> )	0	0	2	0
<i>Prunus</i> sp./spp.	Stone Fruits	Coryneum blight (Shot hole) ( <i>Wilsonomyces (Stigminta) carpophilus (carpophila)</i> )	0	0	1	0
<i>Prunus</i> sp./spp.	Stone Fruits	Unspecified pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0
<i>Viburnum</i> sp./spp.	Viburnum	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Viburnum</i> sp./spp.	Viburnum	Root damage (Abiotic disorder)	0	0	1	0
<i>Viburnum x burkwoodii</i>	Burkwood Viburnum	Not pathogen; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Viburnum x burkwoodii</i>	Burkwood Viburnum	Root damage (Abiotic disorder)	0	0	1	0
<i>Viola</i> sp./spp.	Violas (violet; pansy)	Myrothecium stem rot ( <i>Myrothecium</i> sp./spp.)	1	0	0	0
<i>Zea mays</i>	Sweet Corn	Corn high plains (HPV) (Emaravirus High Plains Virus)	0	1	0	0
<i>Zea mays</i>	Sweet Corn	Maize dwarf mosaic (MDMV) (Potyvirus Maize Dwarf Mosaic Virus A; B)	0	1	0	0
<i>Zea mays</i>	Sweet Corn	Wheat curl mite ( <i>Aceria tosichella</i> )	0	0	1	0
<i>Zea mays</i>	Sweet Corn	Wheat streak mosaic (Wheat Streak Mosaic Virus (WSMV))	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.