

| Host | | Diagnosis | Confidence (to genus) | | | |
|-----------------|-------------|---|-----------------------|--------------|-----------|--------------|
| Scientific Name | Common Name | | Confirmed | Not Detected | Suspected | Inconclusive |
| | | This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples | | | | |

Time Period Report for March 7th through March 20th 2017

| | | | | | | |
|-----------------------------|----------------|--|---|---|---|---|
| <i>Allium cepa</i> | Onion | Leaf blight and dieback (<i>Pantoea ananatis</i>) | 1 | 0 | 0 | 0 |
| <i>Allium cepa</i> | Onion | Stemphylium leaf blight (<i>Stemphylium vesicarium</i>) | 1 | 0 | 0 | 0 |
| <i>Buxus sempervirens</i> | Common Boxwood | Boxwood blight; Leaf and stem blight (<i>Calonectria pseudonaviculata</i>) | 0 | 1 | 0 | 0 |
| <i>Buxus sempervirens</i> | Common Boxwood | Boxwood Volutella blight; Canker (<i>Volutella buxi</i>) | 1 | 0 | 0 | 0 |
| <i>Buxus sempervirens</i> | Common Boxwood | Macrophoma blight; Dieback (<i>Macrophoma</i> sp./spp.) | 1 | 0 | 0 | 0 |
| <i>Buxus sempervirens</i> | Common Boxwood | Unknown abiotic disorder (Abiotic disorder) | 0 | 0 | 1 | 0 |
| <i>Calibrachoa</i> sp./spp. | Million Bells | Cucumber mosaic (CMV) (Cucumovirus Cucumber Mosaic Virus) | 0 | 1 | 0 | 0 |
| <i>Calibrachoa</i> sp./spp. | Million Bells | Genetic disorders (Abiotic disorder) | 0 | 0 | 1 | 0 |
| <i>Calibrachoa</i> sp./spp. | Million Bells | Impatiens necrotic spot (INSV) (Tospovirus Impatiens Necrotic Spot Virus) | 0 | 1 | 0 | 0 |
| <i>Calibrachoa</i> sp./spp. | Million Bells | Physiological responses (Abiotic disorder) | 0 | 0 | 1 | 0 |

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

| Host | | Diagnosis | Confidence (to genus) | | | |
|-----------------------------|-------------------------------|---|-----------------------|--------------|-----------|--------------|
| Scientific Name | Common Name | | Confirmed | Not Detected | Suspected | Inconclusive |
| <i>Calibrachoa sp./spp.</i> | Million Bells | Potyvirus Group (Potyvirus sp./spp.) | 0 | 1 | 0 | 0 |
| <i>Calibrachoa sp./spp.</i> | Million Bells | Tobacco mosaic (TMV) (Tobamovirus Tobacco Mosaic Virus) | 0 | 1 | 0 | 0 |
| <i>Calibrachoa sp./spp.</i> | Million Bells | Tomato spotted wilt (TSWV) (Tospovirus Tomato Spotted Wilt Virus) | 0 | 1 | 0 | 0 |
| <i>Gardenia jasminoides</i> | Common Gardenia; cape jasmine | High soil moisture (Abiotic disorder) | 0 | 0 | 1 | 0 |
| <i>Gardenia jasminoides</i> | Common Gardenia; cape jasmine | Root damage (Abiotic disorder) | 1 | 0 | 0 | 0 |
| <i>Gardenia jasminoides</i> | Common Gardenia; cape jasmine | Unidentified insect (Unidentified Insect) | 1 | 0 | 0 | 0 |
| <i>Microbiota decussata</i> | Siberian Cypress | Botryosphaeria canker; Dieback (<i>Diplodia mutila</i>) | 1 | 0 | 0 | 0 |
| <i>Microbiota decussata</i> | Siberian Cypress | Deer damage (Abiotic disorder) | 0 | 0 | 1 | 0 |
| <i>Picea sp./spp.</i> | Spruce | Rhizosphaera needle cast (<i>Rhizosphaera kalkhoffii</i>) | 1 | 0 | 0 | 0 |
| <i>Picea sp./spp.</i> | Spruce | Unspecified pathology (<i>Stigmina sp./spp.</i>) | 1 | 0 | 0 | 0 |

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

| Host | | Diagnosis | Confidence (to genus) | | | |
|--------------------------|-------------|---|-----------------------|--------------|-----------|--------------|
| Scientific Name | Common Name | | Confirmed | Not Detected | Suspected | Inconclusive |
| | | This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples | | | | |
| <i>Rosa</i> sp./spp. | Rose | Referred to specialist (Identification Analysis) | 1 | 0 | 0 | 0 |
| <i>Rosa</i> sp./spp. | Rose | Rose rosette disease (RRV) (Emaravirus Rose Rosette Virus) | 0 | 0 | 1 | 0 |
| <i>Solanum tuberosum</i> | Potato | Bacterial soft rot (Unidentified Bacterium) | 1 | 0 | 0 | 0 |

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.