

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for April 18th through May 1st, 2017

Scientific Name	Common Name	Diagnosis	Confirmed	Not Detected	Suspected	Inconclusive
<i>Abies concolor</i>	White Fir	Cytospora canker; Dieback (<i>Cytospora</i> sp./spp.)	0	1	0	0
<i>Abies concolor</i>	White Fir	Growth cracks (Abiotic disorder)	0	0	1	0
<i>Agastache</i> sp./spp.	Giant Hyssop	Downy mildew (<i>Peronospora</i> sp./spp.)	1	0	0	0
<i>Allium cepa</i>	Onion	Leaf spot (<i>Erwinia</i> sp./spp.)	1	0	0	0
<i>Allium cepa</i>	Onion	Pink root (<i>Setophoma terrestris</i>)	2	0	0	0
<i>Allium cepa</i>	Onion	Stemphylium leaf blight (<i>Stemphylium vesicarium</i>)	1	0	0	0
<i>Allium cepa</i>	Onion	Unspecified pathology (<i>Fusarium</i> sp./spp.)	2	0	0	0
<i>Brassica</i> sp./spp.	Cole Crops	Pythium damping off (<i>Pythium</i> sp./spp.)	1	0	0	0
<i>Capsicum annuum</i>	Jalapeno Pepper	Tomato; Pepper bacterial spot (<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i>)	1	0	0	0
<i>Cucumis sativus</i>	Cucumber	Pythium damping off (<i>Pythium</i> sp./spp.)	1	0	0	0
<i>Nemesia</i> sp./spp.	Nemesia	Impatiens necrotic spot (INSV) (Tospovirus Impatiens Necrotic Spot Virus)	1	0	0	0
<i>Ocimum basilicum</i>	Sweet Basil	Downy mildew (<i>Peronospora belbahrii</i>)	0	1	0	0
<i>Ocimum basilicum</i>	Sweet Basil	Sunscald (Abiotic disorder)	0	0	1	0
<i>Ocimum basilicum</i>	Sweet Basil	Unspecified pathology (<i>Botrytis</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Osteospermum</i> sp./spp.	Osteospermum	Cucumber mosaic (CMV) (Cucumovirus Cucumber Mosaic Virus)	0	1	0	0
<i>Osteospermum</i> sp./spp.	Osteospermum	Impatiens necrotic spot (INSV) (Tospovirus Impatiens Necrotic Spot Virus)	0	1	0	0
<i>Osteospermum</i> sp./spp.	Osteospermum	Potyvirus Group (Potyvirus sp./spp.)	0	1	0	0
<i>Osteospermum</i> sp./spp.	Osteospermum	Thrips damage (Unidentified Thrips)	1	0	0	0
<i>Osteospermum</i> sp./spp.	Osteospermum	Tobacco mosaic (TMV) (Tobamovirus Tobacco Mosaic Virus)	0	1	0	0
<i>Osteospermum</i> sp./spp.	Osteospermum	Tomato spotted wilt (TSWV) (Tospovirus Tomato Spotted Wilt Virus)	0	1	0	0
<i>Pelargonium peltatum</i>	Ivy Geranium	Bacterial wilt (<i>Ralstonia solanacearum</i>)	0	1	0	0
<i>Pelargonium peltatum</i>	Ivy Geranium	Geranium bacterial leaf spot; Stem rot (<i>Xanthomonas pelargonii</i>)	0	1	0	0
<i>Pelargonium peltatum</i>	Ivy Geranium	Nutrient imbalance (Abiotic disorder)	0	0	1	0
<i>Pelargonium peltatum</i>	Ivy Geranium	Oedema; Edema (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Pelargonium peltatum</i>	Ivy Geranium	Spider mites (Family Tetranychidae)	1	0	0	0
<i>Picea abies</i>	Norway Spruce	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Picea abies</i>	Norway Spruce	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Picea abies</i>	Norway Spruce	Root damage (Abiotic disorder)	0	0	1	0
<i>Picea sp./spp.</i>	Spruce	Root damage (Abiotic disorder)	0	0	3	0
<i>Picea sp./spp.</i>	Spruce	Spruce bud scale (<i>Physokermes piceae</i>)	1	0	0	0
<i>Picea sp./spp.</i>	Spruce	Spruce spider mite (<i>Oligonychus ununguis</i>)	0	0	1	0
<i>Picea sp./spp.</i>	Spruce	Unspecified pathology (<i>Rhizosphaera sp./spp.</i>)	2	0	0	0
<i>Picea sp./spp.</i>	Spruce	Weir's cushion rust (<i>Chrysomyxa weirii</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.