

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for July 11th through July 17th, 2017

Scientific Name	Common Name	Diagnosis	Confirmed	Not Detected	Suspected	Inconclusive
<i>Abies concolor</i>	White Fir	Herbicide drift (Abiotic disorder)	0	0	1	0
<i>Abies concolor</i>	White Fir	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Acer palmatum</i>	Japanese maple	High soluble salt (Abiotic disorder)	0	0	1	0
<i>Acer palmatum</i>	Japanese maple	Leaf scorch (Abiotic disorder)	0	0	1	0
<i>Acer palmatum</i>	Japanese maple	No pathogen found (Identification Analysis)	1	0	0	0
<i>Allium sativum</i>	Garlic	Stem and bulb nematode (<i>Ditylenchus dipsaci</i>)	2	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood blight; Leaf and stem blight (<i>Calonectria pseudonaviculata</i>)	1	1	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood leafminer (<i>Monarthropalpus flavus (buxi)</i>)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood mite (<i>Eurytetranychus buxi</i>)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood psyllid (<i>Psylla buxi</i>)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Capsicum annuum</i>	Jalapeno Pepper	Fusarium stem rot (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Capsicum annuum</i>	Jalapeno Pepper	Wound canker (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Capsicum annuum grossum</i>	Bell Pepper	Insufficient sample (Identification Analysis)	1	0	0	0
<i>Cucurbita moschata butternut</i>	Butternut Squash	Additional sample requested (Identification Analysis)	1	0	0	0
<i>Cucurbita moschata butternut</i>	Butternut Squash	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Cucurbita moschata butternut</i>	Butternut Squash	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Crown and root rot (Phytophthora sp./spp.)	0	2	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Ilex crenata</i>	Japanese Holly	Black root rot (<i>Thielaviopsis basicola</i>)	1	0	0	0
<i>Ilex crenata</i>	Japanese Holly	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Juniperus sp./spp.</i>	Juniper	Root damage (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Juniperus</i> sp./spp.	Juniper	Unspecified pathology (<i>Lophodermium</i> sp./spp.)	1	0	0	0
<i>Lycopersicon esculentum</i>	Tomato	Fusarium stem rot (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Lycopersicon esculentum</i>	Tomato	Wound canker (Abiotic disorder)	0	0	1	0
<i>Lycopersicon esculentum</i>	Tomato	Refer'd to private testing lab (Identification Analysis)	2	0	0	0
<i>Pinus mugo</i>	Mugo Pine; swiss mountain pine	Western gall rust (<i>Endocronartium harknessii</i>)	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Insect damage (Unidentified Insect)	1	0	1	0
<i>Pinus</i> sp./spp.	Pine	Diplodia tip blight; Canker (<i>Diplodia sapinea</i>)	1	0	0	0
<i>Pisum sativum</i>	Dry Field peas	<i>Phoma medicaginis</i> var. <i>pinodella</i>	1	0	0	0
<i>Solanum tuberosum</i>	Potato	Potato black leg; Stem rot (<i>Dickeya</i> sp.)	1	0	0	0
<i>Solanum tuberosum</i>	Potato	Late blight (<i>Phytophthora infestans</i>)	1	0	0	0
<i>Tsuga canadensis</i>	Eastern Hemlock	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Tsuga canadensis</i>	Eastern Hemlock	Root damage (Abiotic disorder)	0	0	1	0
<i>Tsuga canadensis</i>	Eastern Hemlock	Scale insects (Order Homoptera)	1	0	0	0
Turfgrass mixed species	Turfgrass	Anthraco-nose; Colletotrichum leaf spot (<i>Colletotrichum</i> sp./spp.)	0	1	0	0
Turfgrass mixed species	Turfgrass	Nutrient imbalance (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Pythium root dysfunction (<i>Pythium</i> sp./spp.)	0	0	1	0
<i>Ulmus americana</i>	American Elm	Dutch elm disease (<i>Ophiostoma</i> sp./spp.)	1	1	0	0
<i>Ulmus glabra camperdownii</i>	Camperdown Elm	Dutch elm disease (<i>Ophiostoma</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.