

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

**Time Period Report for July 18<sup>th</sup> through July 24<sup>th</sup>, 2017**

<i>Abies fraseri</i>	Fraser Fir	Armillaria root rot; Butt rot ( <i>Armillaria</i> sp./spp.)	1	0	0	0
<i>Abies fraseri</i>	Fraser Fir	Crown and root rot ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Abies fraseri</i>	Fraser Fir	Drought stress damage (Abiotic disorder)	0	0	1	0
<i>Acer platanoides</i>	Norway Maple	Trunk girdling (Abiotic disorder)	0	0	1	0
<i>Acer platanoides crimson</i>	Norway Maple; crimson king	Canker; Coral spot; Blight; Dieback ( <i>Nectria cinnabarina</i> )	1	0	0	0
<i>Acer platanoides crimson</i>	Norway Maple; crimson king	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Acer platanoides crimson</i>	Norway Maple; crimson king	Verticillium wilt ( <i>Verticillium</i> sp./spp.)	0	1	0	0
<i>Acer rubrum</i>	Red Maple	Bacterial wetwood; Slime flux (Various Pathogens)	0	0	1	0
<i>Acer rubrum</i>	Red Maple	Discula anthracnose ( <i>Discula</i> sp./spp.)	1	0	0	0
<i>Acer rubrum</i>	Red Maple	Eriineum galls (Family Eriophyidae)	0	0	1	0
<i>Acer rubrum</i>	Red Maple	Sooty mold (Unidentified Fungus)	1	0	0	0
<i>Capsicum sp./spp.</i>	Pepper	Broad mite ( <i>Polyphagotarsonemus latus</i> )	1	0	0	0
<i>Capsicum sp./spp.</i>	Pepper	No pathogen found (Identification Analysis)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Cercis sp./spp.</i>	Redbud	Root damage (Abiotic disorder)	0	0	1	0
<i>Cercis sp./spp.</i>	Redbud	Verticillium wilt ( <i>Verticillium sp./spp.</i> )	0	1	0	0
<i>Cydonia sp./spp.</i>	Common Quince	Fire blight ( <i>Erwinia amylovora</i> )	0	1	0	0
<i>Cydonia sp./spp.</i>	Common Quince	Wood decay fungus (Unidentified Fungus)	1	0	0	0
<i>Cydonia sp./spp.</i>	Common Quince	Wound canker (Abiotic disorder)	0	0	1	0
<i>Echinacea purpurea</i>	Echinacea Coneflower	No pathogen found (Identification Analysis)	1	0	0	0
<i>Echinacea purpurea</i>	Echinacea Coneflower	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Fagus sylvatica</i>	European Beech	Phytophthora canker ( <i>Phytophthora sp./spp.</i> )	1	1	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Fragaria x ananassa</i>	Commercial Strawberry; garden strawberry	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis  This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Lavendula angustifolia angusti</i>	French Lavender	Additional sample requested (Identification Analysis)	1	0	0	0
<i>Lavendula angustifolia angusti</i>	French Lavender	Stem canker ( <i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Malus</i> sp./spp.	Crabapple	Additional sample requested (Identification Analysis)	1	0	0	0
<i>Malus</i> sp./spp.	Crabapple	Apple scab ( <i>Venturia inaequalis</i> )	2	0	0	0
<i>Malus</i> sp./spp.	Crabapple	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Picea</i> sp./spp.	Spruce	Algae (General)	1	0	0	0
<i>Picea</i> sp./spp.	Spruce	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Pinus sylvestris</i>	Scots Pine	Cyclaneusma needle cast ( <i>Cyclaneusma minus</i> )	1	0	0	0
<i>Pinus sylvestris</i>	Scots Pine	Unspecified pathology ( <i>Lophodermium</i> sp./spp.)	1	0	0	0
<i>Prunus</i> sp./spp.	Cherry	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Prunus</i> sp./spp.	Cherry	Leucostoma canker ( <i>Leucostoma</i> sp./spp.)	1	0	0	0
<i>Pyrus</i> sp./spp.	Pear (ornamental)	Dieback; Canker ( <i>Diplodia</i> sp./spp.)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Pyrus</i> sp./spp.	Pear (ornamental)	Fire blight ( <i>Erwinia amylovora</i> )	0	1	0	0
<i>Solanum tuberosum</i>	Potato	Potato black leg; Stem rot ( <i>Dickeya</i> sp.)	1	1	0	0
<i>Solanum tuberosum</i>	Potato	Potato black leg; Stem rot ( <i>Pectobacterium</i> sp.)	1	0	0	0
<i>Solanum tuberosum</i>	Potato	Verticillium wilt ( <i>Verticillium</i> sp./spp.)	1	0	0	0
<i>Spinacia oleracea</i>	Spinach	Insect damage (Unidentified Insect)	1	0	0	0
<i>Spinacia oleracea</i>	Spinach	Mechanical damage (Abiotic disorder)	0	0	1	0
<i>Spinacia oleracea</i>	Spinach	Stemphylium leaf spot ( <i>Stemphylium</i> sp./spp.)	1	0	0	0
<i>Spinacia oleracea</i>	Spinach	Unspecified pathology ( <i>Alternaria</i> sp./spp.)	1	0	0	0
Turfgrass mixed species	Turfgrass	Barnyardgrass ( <i>Echinochloa crus-galli</i> )	0	0	1	0
Turfgrass mixed species	Turfgrass	Orchardgrass ( <i>Dactylis glomerata</i> )	1	0	0	0
Woody ornamentals mixed species	Woody Ornamentals	Slime mold (Class Myxogastria; Mycetozoa)	1	0	0	0

**Confirmed** - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

**Not Detected** -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

**Suspected** - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

**Inconclusive** - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.