

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for August 29th through September 4th, 2017

<i>Allium sativum</i>	Garlic	Eriophyid mites (Family Eriophyidae)	2	0	0	0
<i>Allium sativum</i>	Garlic	Stem and bulb nematode (<i>Ditylenchus dipsaci</i>)	0	5	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Broccoli	White mold (<i>Sclerotinia</i> sp./spp.)	1	0	0	0
<i>Brassica oleracea</i> var. <i>botrytis</i>	Broccoli	Pythium damping off (<i>Pythium</i> sp./spp.)	1	0	0	0
<i>Brassica oleracea</i> var. <i>capitata</i>	Cabbage	White mold (<i>Sclerotinia</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood blight; Leaf and stem blight (<i>Calonectria pseudonaviculata</i>)	1	0	0	0
<i>Cedrus atlantica glauca</i>	Blue Atlas cedar	Mechanical damage (Abiotic disorder)	0	0	1	0
<i>Cedrus atlantica glauca</i>	Blue Atlas cedar	No pathogen found (Identification Analysis)	1	0	0	0
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Hackberry island chlorosis (Hackberry Island Chlorosis Virus)	0	0	1	0
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Powdery mildew (<i>Oidium</i> sp./spp.)	3	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Psyllid (<i>Pachypsylla</i> sp./spp.)	4	0	0	0
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Root damage (Abiotic disorder)	0	0	4	0
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Sooty mold (Unidentified Fungus)	4	0	0	0
<i>Celtis occidentalis</i>	Hackberry; Nettle tree	Spider mites (Family Tetranychidae)	4	0	0	0
<i>Cercis canadensis</i>	Eastern Redbud	Additional sample requested (Identification Analysis)	1	0	0	0
Family brassicaceae	Mustards	Pythium damping off (<i>Pythium</i> sp./spp.)	1	0	0	0
<i>Ficus carica</i>	Common Fig	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Ficus carica</i>	Common Fig	Nutritional deficiency (Abiotic disorder)	0	0	1	0
<i>Fraxinus</i> sp./spp.	Ash	Ash anthracnose (<i>Plagiostoma fraxinii</i>)	0	1	0	0
<i>Fraxinus</i> sp./spp.	Ash	Moisture stress (Abiotic disorder)	0	0	1	0
<i>Fraxinus</i> sp./spp.	Ash	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Glycine max</i>	Soybean	Additional sample requested (Identification Analysis)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean downy mildew (<i>Peronospora manshurica</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Lycopersicon esculentum</i>	Tomato	Bacterial canker (<i>Clavibacter michiganensis michiganensis</i>)	1	0	0	0
<i>Malus domestica</i>	Domestic Apple	Crown rot; Root rot; Stem rot (<i>Phytophthora</i> sp./spp.)	2	0	0	0
Turfgrass mixed species	Turfgrass	Birds nest fungus (Family Nidulariaceae)	1	0	0	0
Turfgrass mixed species	Turfgrass	Drainage problem (Abiotic disorder)	0	0	1	0
Turfgrass mixed species	Turfgrass	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Zea mays</i>	Sweet Corn	Common corn rust (<i>Puccinia sorghi</i>)	1	0	0	0
<i>Zea mays</i>	Sweet Corn	Corn eyespot (<i>Kabatiella zaeae</i>)	1	0	0	0
<i>Zea mays</i>	Sweet Corn	Northern corn leaf spot (<i>Bipolaris zeicola</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.