

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

<i>Time Period Report for May 15<sup>th</sup> through June 4<sup>th</sup> 2018</i>						
<i>Buxus</i> sp./spp.	Boxwood	Volutella leaf blight; Dieback ( <i>Volutella</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood blight; Leaf and stem blight ( <i>Calonectria pseudonaviculata</i> )	1	4	0	0
<i>Helleborus niger</i>	Christmas Rose	Chemical injury (Abiotic disorder)	0	0	1	0
<i>Helleborus niger</i>	Christmas Rose	Coniothyrium leaf spot ( <i>Coniothyrium</i> sp./spp.)	0	1	0	0
<i>Helleborus niger</i>	Christmas Rose	Unspecified pathology ( <i>Rhizoctonia</i> sp./spp.)	1	0	0	0
<i>Ilex x attenuata fosteri</i>	Foster Holly	Black root rot ( <i>Thielaviopsis basicola</i> )	1	0	0	0
<i>Ilex x attenuata fosteri</i>	Foster Holly	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Juniperus virginiana</i>	Eastern Red cedar	Cedar-quince rust ( <i>Gymnosporangium clavipes</i> )	1	0	0	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Algal leaf spot ( <i>Cephaleuros</i> sp./spp.)	2	0	0	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Lichenized algal leaf spot ( <i>Strigula</i> sp./spp.)	2	0	0	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Scale insects (Order Homoptera)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis  This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Magnolia grandiflora</i>	Southern Magnolia	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Brown felt ( <i>Septobasidium</i> sp./spp.)	0	0	1	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Dieback; Canker; Twig blight ( <i>Botryosphaeria</i> sp./spp.)	1	0	0	0
<i>Magnolia grandiflora</i>	Southern Magnolia	False oleander scale ( <i>Pseudaulacaspis cockerelli</i> )	0	0	1	0
<i>Magnolia grandiflora</i>	Southern Magnolia	Oleander scale ( <i>Aspidiotus nerii</i> )	0	0	1	0
<i>Ocimum basilicum</i>	Sweet Basil	Downy mildew ( <i>Peronospora belbahrii</i> )	0	2	0	0
<i>Ocimum basilicum</i>	Sweet Basil	Sunscald (Abiotic disorder)	0	0	2	0
<i>Picea pungens</i>	Blue Spruce	Rhizosphaera needle cast ( <i>Rhizosphaera</i> sp./spp.)	1	0	0	0
<i>Picea pungens</i>	Blue Spruce	Spruce spider mite ( <i>Oligonychus ununguis</i> )	0	1	0	0
<i>Picea pungens</i>	Blue Spruce	Stigmata needle blight ( <i>Stigmata lautii</i> )	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Referred to specialist (Identification Analysis)	1	0	0	0
<i>Pinus</i> sp./spp.	Pine	Scale insects (Order Homoptera)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Pinus strobus</i>	Eastern White pine	Cytospora canker; Dieback ( <i>Cytospora</i> sp./spp.)	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Pine oak gall rust ( <i>Cronartium quercuum</i> )	0	0	1	0
<i>Pinus taeda</i>	Loblolly Pine	Scale insects (Order Homoptera)	1	0	0	0
<i>Pinus taeda</i>	Loblolly Pine	Sooty mold (Unidentified Fungus)	1	0	0	0
<i>Quercus palustris</i>	Pin Oak	Bacterial wetwood; Slime flux (Various Pathogens)	0	0	1	0
<i>Quercus palustris</i>	Pin Oak	Wood boring insect damage (Unidentified Wood Boring Insect)	0	0	2	0
<i>Quercus palustris</i>	Pin Oak	No pathogen found (Identification Analysis)	1	0	0	0
<i>Rubus</i> sp./spp.	Raspberry	Raspberry bushy dwarf (Raspberry Bushy Dwarf Virus (RBDVA))	0	0	1	0
<i>Vaccinium</i> sp./spp.	Blueberry	Insufficient sample (Identification Analysis)	1	0	0	0
<i>Vitis</i> sp./spp.	Grape	Dagger nematodes ( <i>Xiphinema</i> sp./spp.)	16	0	0	0
<i>Vitis</i> sp./spp.	Grape	Lesion nematodes ( <i>Pratylenchus</i> sp./spp.)	16	0	0	0
<i>Vitis</i> sp./spp.	Grape	Ring nematodes ( <i>Criconemella</i> sp./spp.)	22	0	0	0
<i>Vitis</i> sp./spp.	Grape	Root-knot nematodes ( <i>Meloidogyne</i> sp./spp.)	1	0	0	0
<i>Vitis</i> sp./spp.	Grape	Spiral nematodes ( <i>Helicotylenchus</i> sp./spp. )	17	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis  This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Vitis</i> sp./spp.	Grape	Pin nematodes ( <i>Paratylenchus</i> sp./spp. )	21	0	0	0
<i>Vitis</i> sp./spp.	Grape	Stunt nematodes ( <i>Tylenchorrhynchus</i> sp./spp. )	8	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.