

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

Time Period Report for October 1st through October 14th 2019						
<i>Acer yangbiense</i>	Maple	Arabis mosaic (Arabis Mosaic Virus (ARMV))	0	1	0	0
<i>Acer yangbiense</i>	Maple	Nutrient imbalance (Abiotic disorder)	0	0	1	0
<i>Acer yangbiense</i>	Maple	Phytophthora canker (<i>Phytophthora</i> sp./spp.)	0	0	1	0
<i>Acer yangbiense</i>	Maple	Potyvirus Group (<i>Potyvirus</i> sp./spp.)	0	1	0	0
<i>Allium sativum</i>	Garlic	Garlic Botrytis rot (<i>Botrytis porri</i>)	0	0	1	0
<i>Allium sativum</i>	Garlic	Stem and bulb nematode (<i>Ditylenchus dipsaci</i>)	0	4	0	0
<i>Buxus</i> sp./spp.	Boxwood	Boxwood blight; Leaf and stem blight (<i>Calonectria pseudonaviculata</i>)	0	2	0	0
<i>Buxus</i> sp./spp.	Boxwood	Crown and root rot (<i>Phytophthora</i> sp./spp.)	0	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Macrophoma canker (<i>Macrophoma</i> sp./spp.)	1	0	0	0
<i>Buxus</i> sp./spp.	Boxwood	Root damage (Abiotic disorder)	1	0	1	0
<i>Buxus</i> sp./spp.	Boxwood	Volutella leaf blight; Dieback (<i>Volutella</i> sp./spp.)	2	0	0	0
<i>Cannabis sativa</i>	Hemp	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Cannabis sativa</i>	Hemp	Root damage (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Carpinus betulus</i>	European Hornbeam	Root rot (<i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Cupressus × leylandii</i>	Leyland Cypress	Cercospora blight (<i>Passalora sequoiae</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean downy mildew (<i>Peronospora manshurica</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean frog-eye leaf spot (<i>Cercospora sojina</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean sudden death syndrome (<i>Fusarium virguliforme</i>)	0	1	0	0
<i>Ilex glabra</i>	Inkberry	Black root rot (<i>Thielaviopsis basicola</i>)	0	1	0	0
<i>Ilex glabra</i>	Inkberry	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Ilex glabra</i>	Inkberry	Planting too deep (Abiotic disorder)	0	0	1	0
<i>Ligustrum</i> sp./spp.	Privet	Root damage (Abiotic disorder)	1	0	0	0
<i>Ligustrum</i> sp./spp.	Privet	Root rot (<i>Phytophthora</i> sp./spp.)	0	1	0	0
<i>Malus domestica</i>	Domestic Apple	Dagger nematodes (<i>Xiphinema</i> sp./spp.)	2	17	0	0
<i>Malus domestica</i>	Domestic Apple	Lesion nematodes (<i>Pratylenchus</i> sp./spp.)	7	12	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Ophiopogon japonicus</i>	Mondgrass; Dwarf lily turf	Anthracnose; Colletotrichum leaf spot (<i>Colletotrichum</i> sp./spp.)	1	0	0	0
<i>Ophiopogon japonicus</i>	Mondgrass; Dwarf lily turf	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Ophiopogon japonicus</i>	Mondgrass; Dwarf lily turf	Unspecified pathology (<i>Rhizoctonia</i> sp./spp.)	1	0	0	0
<i>Platanus x acerifolia</i>	London Planetree	Branch canker; Massaria (<i>Splanchnonema platani</i>)	0	1	0	0
<i>Platanus x acerifolia</i>	London Planetree	Unspecified pathology (<i>Hapalocystis</i> sp./spp.)	1	0	0	0
<i>Platanus x acerifolia</i>	London Planetree	Unspecified pathology (<i>Phomopsis</i> sp./spp.)	1	0	0	0
<i>Prunus laurocerasus</i>	Cherry laurel	Insect damage (Unidentified Insect)	0	0	1	0
<i>Prunus laurocerasus</i>	Cherry laurel	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Quercus palustris</i>	Pin Oak	Mechanical damage (Abiotic disorder)	0	0	1	0
<i>Quercus palustris</i>	Pin Oak	Wood decay fungus (Unidentified Fungus)	0	1	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Quercus palustris</i>	Pin Oak	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Quercus palustris</i>	Pin Oak	Leaf scorch (Abiotic disorder)	0	0	1	0
<i>Quercus rubra</i>	Northern Red oak	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Quercus rubra</i>	Northern Red oak	Leaf scorch (Abiotic disorder)	0	0	1	0
<i>Quercus sp./spp.</i>	Oak	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	1	0	0	0
<i>Rhus aromatica</i>	Fragrant Sumac	Fusarium wilt (<i>Fusarium oxysporum</i>)	1	0	0	0
<i>Tilia americana</i>	American (linden) basswood	Mycosphaerella leaf spot (<i>Mycosphaerella sp./spp.</i>)	1	0	0	0
<i>Tilia americana</i>	American (linden) basswood	Root damage (Abiotic disorder)	0	0	1	0
<i>Tilia americana</i>	American (linden) basswood	Unidentified insect egg (Unidentified Insect Egg)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected - The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Tsuga canadensis</i>	Eastern Hemlock	Moisture stress (Abiotic disorder)	0	0	1	0
<i>Ulmus americana</i>	American Elm	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Ulmus americana</i>	American Elm	Leaf scorch (Abiotic disorder)	0	0	1	0
<i>Zea mays</i>	Field Corn	Fusarium root; Crown rot (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Zea mays</i>	Field Corn	Rhizoctonia root; Crown rot (<i>Rhizoctonia</i> sp./spp.)	1	0	0	0
<i>Zea mays</i>	Field Corn	Anthracnose stalk rot (<i>Colletotrichum graminicola</i>)	0	0	1	0
<i>Zea mays</i>	Field Corn	Corn stalk rot (<i>Gibberella zeae</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.