

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				

<i>Time Period Report for September 8th through September 21st 2020</i>						
<i>Abies balsamea</i>	Balsam Fir	Environmental stress; Problem (Abiotic disorder)	0	0	1	0
<i>Abies balsamea</i>	Balsam Fir	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Abies balsamea</i>	Balsam Fir	Spider mites (Family Tetranychidae)	0	0	1	0
<i>Allium sativum</i>	Garlic	Canker (<i>Alternaria embellisia</i>)	1	0	0	0
<i>Allium sativum</i>	Garlic	Fusarium root; Crown rot (<i>Fusarium</i> sp./spp.)	1	0	0	0
<i>Allium sativum</i>	Garlic	Garlic Botrytis rot (<i>Botrytis porri</i>)	2	0	0	0
<i>Allium sativum</i>	Garlic	Insect damage (Unidentified Insect)	2	0	0	0
<i>Allium sativum</i>	Garlic	Stem and bulb nematode (<i>Ditylenchus dipsaci</i>)	1	10	0	0
<i>Allium sativum</i>	Garlic	Unspecified pathology (<i>Alternaria embellisia</i>)	2	0	0	0
<i>Cladrastis kentukea</i>	Kentucky Yellowwood	Leaf scorch (Abiotic disorder)	0	0	3	0
<i>Cladrastis kentukea</i>	Kentucky Yellowwood	Moisture stress (Abiotic disorder)	0	0	3	0
<i>Cladrastis kentukea</i>	Kentucky Yellowwood	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	3	0	0	0
<i>Cladrastis kentukea</i>	Kentucky Yellowwood	Root damage (Abiotic disorder)	3	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Cornell University Plant Disease Diagnostic Clinic

Diagnostic Review Report

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
<i>Cupressus × leylandii</i>	Leyland Cypress	High soil moisture (Abiotic disorder)	0	0	1	0
<i>Cupressus × leylandii</i>	Leyland Cypress	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Family cruciferae</i>	Crucifers	Algae (General)	1	0	0	0
<i>Family cruciferae</i>	Crucifers	No pathogen found (Identification Analysis)	1	0	0	0
<i>Family cruciferae</i>	Crucifers	Unspecified pathology (<i>Pythium</i> sp./spp.)	2	2	0	0
<i>Glycine max</i>	Soybean	Charcoal rot (<i>Macrophomina phaseolina</i>)	1	0	0	0
<i>Glycine max</i>	Soybean	Soybean sudden death syndrome (<i>Fusarium virguliforme</i>)	1	0	0	0
<i>Gymnocladus dioicus</i>	Kentucky Coffee tree	Moisture stress (Abiotic disorder)	0	0	1	0
<i>Gymnocladus dioicus</i>	Kentucky Coffee tree	Root damage (Abiotic disorder)	1	0	0	0
<i>Gymnocladus dioicus</i>	Kentucky Coffee tree	Spider mites (Family Tetranychidae)	1	0	0	0
<i>Ilex crenata</i>	Japanese Holly	Black root rot (<i>Berkeleyomyces basicola</i>)	1	0	0	0
<i>Lycopersicon esculentum</i>	Tomato	Black mold; Mildew (<i>Alternaria alternata</i>)	1	0	0	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Cornell University Plant Disease Diagnostic Clinic

Diagnostic Review Report

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Lycopersicon esculentum</i>	Tomato	Insect damage (Unidentified Insect)	0	0	1	0
<i>Ocimum basilicum</i>	Sweet Basil	No pathogen found (Identification Analysis)	1	0	0	0
<i>Ocimum basilicum</i>	Sweet Basil	Unknown abiotic disorder (Abiotic disorder)	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Cytospora canker; Dieback (<i>Cytospora</i> sp./spp.)	0	0	1	0
<i>Picea pungens</i>	Blue Spruce	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Populus</i> sp./spp. hybrids	Poplar (hybrids)	Septoria leaf spot (<i>Septoria</i> sp./spp.)	1	0	0	0
<i>Quercus palustris</i>	Pin Oak	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	8	1	0	0
<i>Quercus rubra</i>	Northern Red oak	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	1	2	0	0
<i>Syringa</i> sp./spp.	Lilac	Leafblotch leafminers (Family Gracillariidae)	0	0	1	0
<i>Syringa</i> sp./spp.	Lilac	Non-pathogenic; Saprophyte (Secondary Agents; Saprophytes; Unspecif.)	1	0	0	0
<i>Taxodium</i> sp./spp.	Baldcypress (ornamental)	Baldcypress rust mite (<i>Eptrimerus taxodii</i>)	0	0	1	0
<i>Taxodium</i> sp./spp.	Baldcypress (ornamental)	Spider mites (Family Tetranychidae)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.

Host		Diagnosis	Confidence (to genus)			
Scientific Name	Common Name		Confirmed	Not Detected	Suspected	Inconclusive
		This section reports samples from all statuses. Each sample may have one or more diagnosis or identification; hence this section does not represent the total number of samples				
<i>Taxodium sp./spp.</i>	Baldcypress (ornamental spp.)	Unspecified pathology (<i>Pestalotiopsis sp./spp.</i>)	1	0	0	0
<i>Tilia cordata</i>	Small-leaved European linden	Bacterial leaf scorch (<i>Xylella fastidiosa</i>)	0	1	0	0
<i>Tilia cordata</i>	Small-leaved European linden	Scorch (Abiotic disorder)	0	0	1	0
<i>Ulmus americana</i>	American Elm	Lace bug (<i>Corythucha sp./spp.</i>)	0	0	1	0
<i>Ulmus americana</i>	American Elm	Planting too deep (Abiotic disorder)	0	0	1	0

Confirmed - The diagnosis was derived using approved molecular technologies, serological testing and/or morphological observations which allowed for the confirmation of the organism to Genus, species and/or race or pathovar level.

Not Detected -The sample was submitted as a suspect sample or as part of survey project. The pathogen was not detected on this sample at this time using approved molecular technologies, serological testing and/or morphological observations.

Suspected - Diagnostic symptoms of the pathogen were present but evidence of the pathogen could not be confirmed at this time. This term may also be used at the species level if confirmations cannot be made. This term may also be used with abiotic entries.

Inconclusive - Although a suitable sample was received, a reliable result could not be achieved. For example, the test kit may have not worked correctly and there was no sample material remaining to perform the test again. Or, no DNA was detected in a PCR analysis. Inhibitors may have been present in the sample. A second attempt may have been made with the same results. The only conclusion is to label the sample as inconclusive.